



- GENERAL CONSTRUCTION NOTES**
- EXISTING UTILITIES SHOWN ON THIS PLAN ARE PLOTTED FROM UTILITY RECORDS. THE CONTRACTOR IS REQUIRED TO TAKE DUE PRECAUTIONARY MEASURES TO LOCATE AND PROTECT ALL UTILITIES WHETHER OR NOT SHOWN ON THIS PLAN.
 - PRIME CONTRACTORS BIDDING THIS WORK SHALL HAVE A CLASS A OR C-B LICENSE.
 - CONFLICTING UTILITIES SHOWN WITHIN THE CONSTRUCTION AREA WILL BE RELOCATED PRIOR TO CONSTRUCTION.
 - RIGHTS OF ENTRY HAVE BEEN OBTAINED FOR WORK SHOWN OUTSIDE OF CITY RIGHT-OF-WAY.
 - CURB & GUTTER SHALL BE STAKED WITH 3" OFFSETS AT 12.5' INTERVALS AND TWO ROWS OF #3 REBAR SHALL BE PLACED IN GUTTER WHERE GRADE IS LESS THAN 0.35%. PLACE 3/4" DOWEL PINS AT ALL EXPANSION JOINTS.
 - TREES & SHRUBS AFFECTED BY THE PROPOSED SIDEWALK CONST. SHALL BE TRIMMED TO AT LEAST 8' VERTICALLY ABOVE THE SIDEWALK SURFACE AND TO AT LEAST 3' LATERSALLY OF THE SIDEWALK, WHERE RIGHT-OF-WAY PERMITS.
 - MAILBOXES INTERFERING WITH PROPOSED SIDEWALK CONSTRUCTION SHALL BE TEMPORARILY RELOCATED TO ENABLE PROPERTY OWNERS TO RECEIVE THEIR MAIL AND REINSTALLED IN FINAL POSITION BY THE CONTRACTOR.
 - WATER METERS, GAS METERS AND STREET LIGHT PULL BOXES AFFECTED BY CONSTRUCTION SHALL BE ADJUSTED TO THE PROPOSED SIDEWALK GRADE.
 - EXIST SPRINKLERS AFFECTED BY THE CONSTRUCTION OF THE PROPOSED SIDEWALK SHALL BE RELOCATED TO THE BACK OF THE SIDEWALK.

- SPECIFIC CONSTRUCTION NOTES**
- NUMBERS ABOVE 100 IN A HEXAGON ON THE PLAN REFER TO THE RESPECTIVE STANDARD DRAWINGS AND SHALL BE CONSTRUCTED ACCORDINGLY. UNLESS MODIFICATIONS ARE NOTED ON THE PLAN OR COVER SHEET, ANY NUMBER SHOWN BELOW THE STANDARD DRAWING NUMBER INDICATES THE SPECIFIC ALTERNATE TO BE CONSTRUCTED.
 - REMOVE EXISTING TREE, CLASS I-6" TO 18", CLASS II-18" TO 36" CLASS III-OVER 36".
 - CABLE TV RISER TO BE RELOCATED BY CENCOM CABLE.
 - TELEPHONE RISER TO BE RELOCATED BY PACIFIC BELL.
 - STATE OF CALIFORNIA, BUSINESS AND TRANSPORTATION AGENCY, DEPT. OF TRANSPORTATION, STANDARD PLANS, DATED JANUARY 1992.

IMPORTANT NOTICE

Section 4216/4217 of the Government Code requires a Dig Alert Identification Number to be issued before a "Permit to Excavate" will be valid. For your Dig Alert I.D. Number call Underground Service Alert TOLL FREE 1-800-422-4133 Two working days before you dig.

1 GOLDEN AVE (W'LY SIDE) - DOVERWOOD TO 370' N'LY

| | | | | |
|---|---|---|--|--|
| <p>ENGINEER IN RESPONSIBLE CHARGE Ronald C. Mueller R.C.E. 29510 expires 3/31/95 DATE 5-21-92</p> | <p>CITY OF RIVERSIDE PUBLIC WORKS DEPARTMENT</p> | | <p>S/W CONSTRUCTION @ VARIOUS LOCATIONS 1991/1992</p> | <p>ACCOUNT NO. 30-575-342-09 R-3192A SHEET 1 OF 1</p> |
| | <p>APPROVED BY: [Signature] DATE: [Date] BY: [Signature] DATE: [Date]</p> | <p>APPROVED BY: [Signature] DATE: [Date] BY: [Signature] DATE: [Date]</p> | | |